



Catalogue

 **futura floors**

Floors that inspire well being

www.futurafloors.com

organic world spaces

Solid and engineered flooring - We offer the finest floors which have been carefully selected for those who anticipate world trends and respect our planet so that together we may build a world that inspires well being. Because where there is well being, there is also happiness.

futura



www.futurafloors.com



INDOOR

04-09 SOLID WOOD

05 Herringbone

06-07 Solid Oak Planks

08 Other Hardwood Solid Floors

09 Softwood Solid Planks

10-13 PARQUET

11 Classical Parquet

12-13 Mosaic Parquet

14-18 ENGINEERED 3-LAYER OAK

14-16 Engineered 3-layer oak planks

17 Engineered 3-strip oak planks

18 Engineered 3-layer oak parquet

19-20 SKIRTING SOLID & VENEERED/MDF

21-24 SURFACE FINISH

22 Textures, UV Lacquered

23 Rubio End-oil

24 Woca End-oil

25-29 DESIGN DECORS

25-29 Vinyl

OUTDOOR

32 WPC DECKING

33-34 ACCESSORIES

33 WPC underconstruction | WPC end profile | Granulate pads

34 Profi decking bases | Fastening accessories

35 YOUR CONTACT PERSON

All offer prices not confirmed prior to validation of new pricelists are no longer valid.



Solid Wood floor

There is no other flooring that reflects the natural properties of a real wood floor as perfectly as the solid planks and parquet manufactured in our factory. This traditional type of plank has been used for interior floors for centuries because of its timeless beauty. The floor is suitable for use in domestic living spaces as well as for larger areas.

We have a wealth of experience in finishes for almost every type of wood. You can choose between brushing, oiling and lacquering to show off the natural beauty of the wood. Since we have our own factory, we can also create stairs and skirting for you that also match your floor.




Obtained from domestic
European forests.



Environmentally
friendly



To add surface
finishes see pages
22-24



Nature

In principle sapwood-free, knots allowed.


Article no.	Dimensions, mm	Package contents
SX-103723	15 x 120 x 500 / 600 / 700 / 800 / 900 *	4 left & 4 right pieces
SX-103727	20 x 120 x 500 / 600 / 700 / 800 / 900 *	2 left & 2 right pieces



Marcant

Possible with larger knots and sapwood content.

Article no.	Dimensions, mm	Package contents
SX-103724	15 x 120 x 500 / 600 / 700 / 800 / 900	4 left & 4 right pieces
SX-103728	20 x 120 x 500 / 600 / 700 / 800 / 900	2 left & 2 right pieces



Rustic

With knots and approx. 15 - 20% sapwood content.

Article no.	Dimensions, mm	Package contents
SX-103725	15 x 120 x 500 / 600 / 700 / 800 / 900	4 left & 4 right pieces
SX-103729	20 x 120 x 500 / 600 / 700 / 800 / 900	2 left & 2 right pieces

* On enquiry

Products adhere to the highest standards, produced according to DIN EN 13629, surfaces filled and sanded, tongue and groove, micro bevels, right and left strips mixed in the package.





Select

In principle, knot-free and free of sapwood with small pin knots allowed.

Nature

In principle sapwood-free, knots allowed.

Marcant

Possible with larger knots and up to 5% sapwood content.

Rustic



With knots and approx. 15-20% sapwood.

Elegance/Nature

Sapwood-free, small point knots, such as knots approx. 20-30 mm (smallest diameter) permitted.

Marcant/Rustic

With knots and approx. 10% sapwood



Dimensions, mm	Length, mm	Package content
10 x 100	400 - 1200	1,200 m ²
15 x 130	400 - 1800	2,288 m ²
15 x 140	400 - 1800	2,464 m ²
15 x 130	1900 - 2000*	8 Stück
15 x 140	1900 - 2000*	8 Stück
20 x 100	500 - 2000	5 Stück
20 x 120	500 - 2000	5 Stück
20 x 140	500 - 2000	1,400 m ²
20 x 160	500 - 2000	1,600 m ²
20 x 180	500 - 2000	1,800 m ²
20 x 200	500 - 2000	2,000 m ²
20 x 140	2100 - 2500*	5 Stück
20 x 160	2100 - 2500*	5 Stück
20 x 180	2100 - 2500*	5 Stück
20 x 200	2100 - 2500*	5 Stück



* On enquiry



BEECH steamed European

Elegance: In principle knot-free and without brown core.

Rustic: With a dark core and knots.

Elegance

Rustic

Article no.	Grade	Dimensions, mm	Lengths (mm)	Package contents
SX-100132	Elegance	15 x 140	400 - 1800	2,464
SX-100133	Elegance	20 x 140	500 - 2000	1,400
SX-100134	Rustic	15 x 140	400 - 1800	2,464
SX-100135	Rustic	20 x 140	500 - 2000	1,400

ASH European

Elegance: In principle knot-free and without brown core.

Rustic: With brown core and knots.

Elegance

Rustic

Article no.	Grade	Dimensions, mm	Lengths (mm)	Package contents
SX-100136	Eleganz	15 x 140	400 - 1800	2,464
SX-100137	Eleganz	20 x 140	500 - 2000	1,400
SX-100138	Rustikal	15 x 140	400 - 1800	2,464
SX-100139	Rustikal	20 x 140	500 - 2000	1,400



Reap the benefits of our **webshop** and ask us for your **login** details



Spruce A

Fixed length 2050/2350 mm and long plank 3850/4450/5050 mm.
With firmly grown knots.



Article no.	Grade	Dimensions, mm	Lengths (mm)	Package contents, Pieces
SX-105466	A	21 x 133	1950 - 5000*	4 pcs
SX-105467	A Long plank	27 x 180	2950 - 5000*	3 pcs
SX-105807	A/B	21 x 133	1950 - 5000	4 pcs
SX-105718	A/B	27 x 180	2950 - 5000	3 pcs

Pine A

Fixed length 2050/2350 mm and long plank 3850/4450/5050 mm.
With firmly grown knots.



Article no.	Grade	Dimensions, mm	Lengths (mm)	Package contents, Pieces
SX-105469	A	21 x 133	1950 - 5050*	4 pcs
SX-105470	A Long plank	27 x 180	3850 - 5050*	3 pcs
SX-105808	A/B	21 x 133	1950 - 5000	4 pcs
SX-105809	A/B	27 x 180	2950 - 5000	3 pcs

* On enquiry



Parquet

We offer parquet flooring in a variety of assortments, from the Select and Nature gradings to the more expressive Rustic grade. Our parquet flooring comes exclusively in oak which is a species renowned for its natural properties, durability and practicality. The parquet comes with tongue and groove all around and is available various dimensions.



Obtained from domestic
European forests.



Environmental
friendly



To add surface
finishes see pages
22-24




Reap the benefits of our **webshop** and ask us for your **login** details



Oak Nature

In principle, sapwood-free, occasionally small point knots.


Article no.	Dimensions, mm	Package contents, sqm
SX-103758	16 x 70 x 300 / 400 / 500	0,84 / 1,12 / 1,40
SX-103754	22 x 70 x 300 / 400 / 500	0,84 / 1,12 / 1,40



Oak Object

Basically sapwood-free with small knot


Article no.	Dimensions, mm	Package contents, sqm
SO-105962	16 x 68 x 204 / 272 / 340 / 408 mm	0,66 / 0,88 / 1,11 / 1,33



Oak Rustic

With knots and approx. 20% sapwood.


Article no.	Dimensions, mm	Package contents, sqm
SX-103760	16 x 70 x 300 / 400 / 500	0,84 / 1,12 / 1,40
SX-103756	22 x 70 x 300 / 400 / 500	0,84 / 1,12 / 1,40



Ash Elegance

May have occasional small knots and natural differences in colour.


Article no.	Dimensions, mm	Package contents, sqm
SX-105857	22 x 70 x 300 / 400 / 500	0,84 / 1,12 / 1,40 qm



Ash Rustic

All natural features are permitted without restriction, as well as natural colour differences. Open cracks and knots are filled.

Article no.	Dimensions, mm	Package contents, sqm
SX-105858	22 x 70 x 300 / 400 / 500	0,84 / 1,12 / 1,40





Oak Nature

Calm sorting with healthy knots ≤ 2 mm and black knots ≤ 1 mm.


Article no.	Dimensions, mm	Pattern	Package contents, sqm
SO-100928	8 x 23 x 160	Cube Association	4,920
SO-100933	8 x 23 x 160	Parallel Association	4,920
SO-100938	8 x 23 x 160	English Association	4,920



Oak Object

Healthy knots approx. 7mm, black 4mm. Color difference allowed, subtle structure with low proportion of sapwood.

Article no.	Dimensions, mm	Pattern	Package contents, sqm
SO-105879	8 x 23 x 160	Cube Association	4,920
SO-105880	8 x 23 x 160	Parallel Association	4,920
SO-105881	8 x 23 x 160	English Association	4,920



Oak Rustic

Expressive sorting with healthy knots ≤ 10 mm and black knots ≤ 8 mm. Natural color differences are allowed.

Article no.	Dimensions, mm	Pattern	Package contents, sqm
SO-100930	8 x 23 x 160*	Cube Association	4,920
SO-100935	8 x 23 x 160*	Parallel Association	4,920
SO-100940	8 x 23 x 160*	English Association	4,920



Oak Industry

Healthy knots and black knots allowed.

Article no.	Dimensions, mm	Package contents, sqm
SO-101166	10 x 10 x 160	2,048
SO-100948	15 x 10 x 160	1,025
SO-100942	23 x 8 x 160	1,024



* On enquiry

Natural color differences are allowed. In principle, the goods are free from sapwood, cracks and ingrown bark. Products adhere to the highest standards, produced according to DIN EN 13488.





Engineered 3-layer oak 5G-C Clic Drop Down

Välinge 5G-C Clic-Drop Down. Quality according to factory standard analogue produced according to DIN EN 13489. structure: Top layer / wear layer: approx. 3 mm oak / centre layer approx. 9 mm pine / backing approx. 2 mm pine/spruce. Edges bevelled on four sides.

Dimensions: 14x190x1900mm

Package contents 2,888m²

Characteristic sorting


- Noblesse** Natural texture, small knots possible, slight color differences, with a small amount of sapwood
- Provence** Lively texture and color differences, percentage of sapwood possible, knots. Filled in black.
- Rustical** Lively rustic character with differences in structure and color, sapwood, medium sized natural knots. Black-filled knots and splits
- Country** Knotty, expressive assortment with large sized cracks and branches with sapwood portions. All natural characteristics as well as natural color differences are permitted without restriction. Open cracks and knots are filled.






Noblesse

Article No.	Sorting	Dimension, mm	Package content, m ²	Surface treatment
EF-105691	Noblesse	14x190x1900	2,888	Unfinished



Provence

Article No.	Sorting	Dimension, mm	Package content, m ²	Surface treatment
EF-105790/EF-105794	Provence	14x190x1900	2,888	Unfinished



Rustical

Article No.	Sorting	Dimension, mm	Package content, m ²	Surface treatment
EF-105560/EF-105797	Rustical	14x190x1900	2,888	Unfinished

Any combination of oil and varnish from page 22-24




Country

Article No.	Sorting	Dimension, mm	Package content, m ²	Surface treatment
EF-105963	Country	14x190x1900	2,888	Unfinished



Provence

Article No.	Sorting	Dimension, mm	Package content, m ²	Surface treatment
EF-105964	Provence	14x150x1900	2,280	Light brushed & oiled



Rustical

Article No.	Sorting	Dimension, mm	Package content, m ²	Surface treatment
EF-105965	Rustical	14x150x1900	2,280	Light brushed & oiled





3-Strip Engineered oak floor

Quality according to factory standard, analogue production according to DIN EN 13489, bevelled edges on four sides. Structure: Top layer / wear layer: approx. 3 mm oak / centre layer approx. 8 mm spruce / backing approx. 2 mm spruce.



Classic  NEW

Natural texture and colour differences, small knots with low sapwood content

Article no.	Dimension, mm	Package content, m ²	Surface treatment
EF-105862	13x190x2250mm	2,565	UV lacquered






Elegance/Natural herringbone

Harmonious sorting with small knots. Sapwood-free.

Article no.	Dimensions, mm	Package contents, sqm	Surface
EF-105217	14x140x740 Herringbone*	0.829 m ²	Unfinished



Markant/Rustikal Fischgrät

Charakteristische Sortierung mit Ästen. Splintfrei.


Article no.	Dimensions, mm	Package contents, sqm	Surface
EF-105218	14x140x740 Herringbone*	0.829 m ²	Unfinished



Elegance/Natural Chevron

Harmonious sorting with small knots. Sapwood-free.

Article no.	Dimensions, mm	Package contents, sqm	Surface
EF-105219	14x120x880 Chevron 45°*	0.845 m ²	Unfinished



Marcant/Rustic Chevron

Characteristic sorting with knots. Sapwood-free.

Article no.	Dimensions, mm	Package contents, sqm	Surface
EF-105220	14x120x880 Chevron 45°*	0.845 m ²	Unfinished







* On enquiry









Solid skirting OAK knots-free (select / natural)

Article no.	Dimensions (mm)	Lengths, mm	Profile	Surface	
X-AC100445	15x40	1500-2400	beveled	Unfinished	
X-AC100451 / X-AC101520	15x60	1500-2400	beveled / rounded	Unfinished	
X-AC100448 / X-AC101608	20x40	1500-2400	beveled / rounded	Unfinished	
X-AC100221 / X-AC100218	20x60	1500-2400	beveled / rounded	Unfinished	




Solid skirting OAK with knots (marcant/ rustic)

Article no.	Dimensions (mm)	Lengths, mm	Profile	Surface	
X-AC101607	15x40	1500-2400	beveled	Unfinished	
X-AC100466 / X-AC101519	15x60	1500-2400	beveled / rounded	Unfinished	
X-AC101505 / X-AC101913	20x40	1500-2400	beveled / rounded	Unfinished	
X-AC100469 / X-AC100882	20x60	1500-2400	beveled / rounded	Unfinished'	

Skirting surfaces available! ¹ To add surface finishes see pages 22-24



Skirting veneered / MDF

Article no.	Dimensions, mm	Lenght, mm	Profile	Surface	
AC-105853	16x60	2500	Oak veneered knotless, straight rounded	white lacquered	
AC-105854	16x60	2500	Oak veneered knotless, straight rounded	natural lacquered	
AC-105766	18x78	2500	Oak veneered knotless, straight bevelled	white foiled	
AC-105852	15x60	2500	Oak veneered knotless, straight bevelled	white foiled	





Design your own dream floor.

Futura has chosen the most beautiful flooring collections, but we know what it's like to be picky in style. That is why we offer you the opportunity to create your own appearance.


At Futura you have the option of having all “natural” or “brushed” products with chamfered edges manufactured with the following surface finishes:

- Sharp-edged classical parquet
- Solid plank
- Solid 2-layer plank, sharp-edged
- Plank multi-layer, beveled
- Plank 3-layer, beveled






Structure



Article no. R0020




Article no. R0029




Article no. R0385*

UV-lacquered



Article no. R0012



Article no. R0131

Deep smoked ¹

Only available for solid oak flooring - dimensions 15x130mm and 20x140/160mm and only in the Natural and Markant grades without sapwood.



Pure #R101

Article-No. R0137



White #R331

Article-No. R0139



White 5% #R331A

Article-No. R0138



Crudo² #P920+R920

Article-No. R0148




Smoke 5% #R326A

Article-No. R0163



Gris Belge #R310


Article-No. R0146



Champagne #R331A+R333

Article-No. R0141

Rubio[®]



Natural

Article-No. R0416




White 5%

Article-No. R0412




White 22%

Article-No. R0413




Vanilla

Article-No. R0414




Champagne

Article-No. R0417



Smoked Oak

Article-No. R0415



Grey Brown

Article-No. R0418





Vinyl

Our design floor (vinyl) is extremely durable and easy to care for. Vinyl is characterized by an authentic natural look and is personalized by a variety of surfaces for a perfect fit.

Our integrated impact sound insulation, SPC stone dust is ideally suited for underfloor heating as well as for kitchens and bathrooms, matt finish embossed, phthalate-free, suitable for high loads.

Due to its unique composition, the design floor (vinyl) is resistant to physical damage, the presence of water and open flames.

All products are made with an original Unilin click system for easy installation or as boards for glued use.



European Premium-XL Collection

Dimension: 5,0x228x1219mm wood decor | 5,0x305x915mm stone decor

Wear layer: 0,55mm

Exposure class: 33/34

Incl. 1,0mm IXPE high density integrated impact sound insulation

<i>Package contents:</i>	2,233m ²	8 pieces
<i>Pallet:</i>	107,18m ²	48 cartons

Article no.

VI-105932
VI-105933
VI-105934
VI-105935
VI-105936
VI-105937
VI-105938
VI-105939
VI-105940

Decor

Valencia
Venice
Chamonix
Heidelberg
Bergen
Bled
Tallinn
Kotor
Santorini







Wood decor



Stone decor





Carrier material SPC (stone powder), suitable for underfloor heating.

Dimensions: 5,0 x 175 x 1210mm

Wear layer: 0,5 mm

Exposure class: 33/42

Incl. 1.0 mm integrated impact sound insulation

Package content:	2,117m ²	10 pieces
Pallet:	127,05m ²	60 cartons

Article no.

VI-105695

VI-105699

VI-105696

VI-105694

VI-105646

Decor

Natural | Natur

Light Smoked | Angeräuchert

Castle Grey | Schloss Grau *

Sand | Sand *

York | York *

* On enquiry



Our browns

Natural



Our Greys

York




Castle Grey




Our greige

Sand



Light Smoked










WPC Solid PRIME

Durability class according to DIN EN 350-2: II (durable)



Article no.	Dimensions	Lengths	Profile	Color	Package contents
DE-105497	20 x 140 mm	3600/4800 mm	small rilled/structure	light brown	2/3 pieces
DE-105499	20 x 140 mm	3600/4800 mm	small rilled/structure	light grey	2/3 pieces
DE-105500	20 x 140 mm	3600/4800 mm	small rilled/structure	dark grey	2/3 pieces

WPC Hollow

Durability class according to DIN EN 350-2: II (durable)



Article no.	Dimensions	Lengths	Profile	Color	Package contents
DE-105501	24 x 140 mm	4000mm	small rilled/structure	dark grey	2/3 pieces
DE-105502	24 x 140 mm	4000mm	small rilled/structure	light grey	2/3 pieces
DE-105503	24 x 140 mm	4000mm	small rilled/structure	light brown	2/3 pieces

WPC Encased Hollow

Durability class according to DIN EN 350-2: II (durable)



Article no.	Dimensions	Lengths	Profile	Color	Package contents
DE-105728	22 x 140 mm	4000 mm	rilled/structure	Mocha brown	2/3 pieces
DE-105729	22 x 140 mm	4000 mm	rilled/structure	Latte brown	2/3 pieces
DE-105730	22 x 140 mm	4000 mm	rilled/structure	Ash grey	2/3 pieces
DE-105731	22 x 140 mm	4000 mm	rilled/structure	Carbon grey	3/2 pieces

Please always specify the desired visible side when ordering combination profiles!





WPC standard underconstruction

Durability class according to DIN EN 350-2: II (durable)

Article no.	Dimensions	Lengths	Profile
DE-105824	30 x 50 mm	4000 mm	smooth on all sides
DE-105549	40 x 60 mm	4000 mm	smooth on all sides



WPC end profile

With our WPC end profile, you can beautifully design the end and cut edges of your WPC decking.


Article no.	Dimensions	Lengths	Profile	Farbe
AC-105831	40 60 mm	3000 mm	smooth	dark grey
AC-105832	40 60 mm	3000 mm	smooth	light grey
AC-105833	40 60 mm	3000 mm	smooth	light brown



Professional rubber granulate pad

Underlay for bridging minor unevenness, as well as for protecting and insulating underconstruction. (Requirement: 2 pads per linear meter of underconstruction)





Article no.	Article	Content/package
AC-102764	Rubber granulate pad (3 x 40 x 80 mm)	1 piece loose
AC-102765	Rubber granulate pad (8 x 40 x 80 mm)	1 piece loose








Professional decking bases

Underlay for bridging minor unevenness, as well as for protecting and insulating underconstruction. (Requirement: 2 pads per linear meter of underconstruction)

Article no.	Article	Content/package	
AC-101407	Decking bases adjustment range (35-55mm)	1 piece loose	
AC-105550	Decking bases adjustment range (35-70mm)	1 piece loose	
AC-105551	Decking bases adjustment range (66-145mm)	1 piece loose	
AC-102927	Decking bases adjustment range (140-220mm)	1 piece loose	

WPC professional decking clip

Professional fastening clip made of rust-free stainless steel for the invisible fastening of WPC decking on WPC or aluminum underconstruction. The clip automatically creates the ideal gap for WPC of approx. 4 mm.

Article no.	Article	Content/ Package	
AC-104116	WPC professional decking clip	100 clips including screws are sufficient for approx. 5 sqm	
AC-104117	WPC professional start and end clip	50 clips including screws are sufficient for approx. 25 sqm	
AC-105762	WPC professional clips for encased WPC	90 clips including screws are sufficient for approx. 5sqm	



Our headquarters

Futura Floors

Phone: +49 (0) 951 917 888-0
Fax: +49 (0)9543 418 09-19
Email: info@futurafloors.de

Sales

Nermin Arnautovic

Sales person

Phone: +49 (0)951 917 888 33
Mob: +49 (0)151 188 60 222
Email: nermin.arnautovic@futurafloors.de

Jürgen Kehl

Area Sales Manager

Mob: +49 (0)151 188 60 227
Email: juergen.kehl@futurafloors.de

Ralf Köbrich

Sales Manager - Bavaria/G-South

Mob: +49 (0)151 188 60 224
Email: ralf.koebrich@futurafloors.de

Finance

Aida Pasalic

Phone: +49 (0)951 917 888 35
Email: buchhaltung@futurafloors.de

Logistics

Customer Service

Phone: +49 (0)951 917 888 33
Email: kundendienst@futurafloors.de

All offer prices not confirmed prior to the validation of new pricelists are no longer valid.



Our story.

we offer finest flooring, selected with care for those who anticipate world trends and respect the planet. so that together we may build a world that inspires wellbeing, for where there is wellbeing, there is happiness. futura.

www.futurafloors.com





Floors that inspire well being

www.futurafloors.com
